



Honeywell

You are browsing the product catalog for

India

▼

FIXED MOUNT

# HF811 Fixed Mount Scanner

The HF810 offers powerful performance including DPM reading and 2MP resolution in an industrial hardware design that can be networked to build a complete scanning solution.

## Overview



With Honeywell’s state-of-the-art technology in encoding and decoding, HF811 Fixed-mount 2D Industrial Scanner offers powerful performance, including DPM capabilities, in a compact form factor that can be networked to build a complete manufacturing or warehouse management solution for end users.

## Specifications

### FEATURES

**Application**

- Industrial Fixed Mount

**Form Factor**

- Slot Scanner

**For Use With**

- Auxiliary handheld scanners

**Features**

- Network ready

**Connectivity**

- Corded

## DIMENSIONS

---

### Overall Dimensions

- (H x W x D): 70 mm x 55 mm x 45 mm

## SCANNING SPECIFICATIONS

---

### Scan Pattern

- 2D imager

### Scan Distance

- Standard Range (0-1m)

### Depth of Field

- 0-1000 mm

### Decode Capability

- 1D
- 2D (QR, Datamatrix, Maxicode, Aztec)
- DPM
- PDF417

### Brightness

- 0-100k lux

## NETWORK

---

### Communication Protocols

- Field Bus Protocol (Profinet, EthernetIP, Modbus TCP) voltage alternating current
- RS232 voltage alternating current
- RS485 voltage alternating current
- TCP/IP voltage alternating current

## HARDWARE

---

### Wireless

- No

### Power Connector Type

- M12

### Host System Interface

- Ethernet, RS232, RS485

### Charging

- N/A

## ELECTRICAL

Input Voltage

- 10-26.5 volts

Battery Type

- N/A

ENVIRONMENTAL

Storage Temperature Range

- -20 °C to 70 °C

Operating Temperature

- 0°C to 50°C

Operating Humidity

- 0 to 95% relative humidity non-condensing

STANDARDS & APPROVALS

Protection Ratings

- IP65

IP Rating

- IP65

SERVICE TERMS

Warranty Duration

- 3 years

OTHERS

Industry

- Logistics & Warehouses
- Manufacturing
- Retail



Please sign in to view part numbers available for purchase based on your account


Sign In

Search

Part Number	HF810-01BT00004K-R
Description	KIT, 2MP, N FOV, B LGT, T, HORIZONTAL, E2R SIGN IN
Part Number	HF810-01RT00004K-R
Description	KIT, 2MP, N FOV, R LGT, T, HORIZONTAL, E2R

SIGN IN	
Part Number	HF810-01WT00004K-R
Description	KIT, 2MP, N FOV, W LGT, T, HORIZONTAL, E2R
SIGN IN	
Part Number	HF810-11BT00004K-R
Description	KIT, 2MP, W FOV, B LGT, T, HORIZONTAL, E2R
SIGN IN	
Part Number	HF810-11RT00004K-R
Description	KIT, 2MP, W FOV, R LGT, T, HORIZONTAL, E2R
SIGN IN	
Part Number	HF810-11WT00004K-R
Description	KIT, 2MP, W FOV, W LGT, T, HORIZONTAL, E2R
SIGN IN	
Part Number	HF811-01BT00004K-R
Description	2-megapixel host suite, narrow field of view, blue light source
SIGN IN	
Part Number	HF811-01RT00004K-R
Description	KIT, 0.5MP, N FOV, R LGT, T, HORIZONTAL, E2R
SIGN IN	
Part Number	HF811-01WT00004K-R
Description	2-megapixel host suite, narrow field of view, white light source
SIGN IN	
Part Number	HF811-11BT00004K-R
Description	2-megapixel host suite with wide field of view, blue light source
SIGN IN	

## Product Number



Please sign in to view part numbers available for purchase based on your account

Sign In

HF810-01BT00004K-R

KIT,2MP,N FOV,B LGT,T,HORIZONTAL,E2R

HF810-01BT00004K-R

KIT,2MP,N FOV,B LGT,T,HORIZONTAL,E2R

HF810-01RT00004K-R

KIT,2MP,N FOV,R LGT,T,HORIZONTAL,E2R

HF810-01RT00004K-R

KIT,2MP,N FOV,R LGT,T,HORIZONTAL,E2R

**HF810-01WT00004K-R**

KIT,2MP,N FOV,W LGT,T,HORIZONTAL,E2R

**HF810-01WT00004K-R**

KIT,2MP,N FOV,W LGT,T,HORIZONTAL,E2R

**HF810-11BT00004K-R**

KIT,2MP,W FOV,B LGT,T,HORIZONTAL,E2R

**HF810-11BT00004K-R**

KIT,2MP,W FOV,B LGT,T,HORIZONTAL,E2R

**HF810-11RT00004K-R**

KIT,2MP,W FOV,R LGT,T,HORIZONTAL,E2R

**HF810-11RT00004K-R**

KIT,2MP,W FOV,R LGT,T,HORIZONTAL,E2R

**HF810-11WT00004K-R**

KIT,2MP,W FOV,W LGT,T,HORIZONTAL,E2R

**HF810-11WT00004K-R**

KIT,2MP,W FOV,W LGT,T,HORIZONTAL,E2R

**HF811-01BT00004K-R**

2-megapixel host suite, narrow field of view, blue light source

**HF811-01BT00004K-R**

2-megapixel host suite, narrow field of view, blue light source

**HF811-01RT00004K-R**

KIT,0.5MP,N FOV,R LGT,T,HORIZONTAL,E2R

**HF811-01RT00004K-R**

KIT,0.5MP,N FOV,R LGT,T,HORIZONTAL,E2R

**HF811-01WT00004K-R**

2-megapixel host suite, narrow field of view, white light source

**HF811-01WT00004K-R**

2-megapixel host suite, narrow field of view, white light source

**HF811-11BT00004K-R**

2-megapixel host suite with wide field of view, blue light source

**HF811-11BT00004K-R**

2-megapixel host suite with wide field of view, blue light source

